

BODY SHOT TARGETS

.22 CALIBER TARGETS ARE RATED FOR:

Shorts, Longs and Long Rifles at a minimum of 30 yards
Mag's and .17's at a minimum distance of 100 yards
Soft Nose Lead Bullets Only

.38-.44 CALIBER TARGETS ARE RATED FOR:

Pistol Calibers at a minimum distance of 30 yards

9MM-.30-.06 CALIBER TARGETS ARE RATED FOR:

Pistol Calibers at a minimum distance of 30 yards
.270, .30-.06, etc. at a minimum distance of 100 yards
.22-.250, .223, etc. at a minimum distance of 200 yards
Soft Nose Lead Bullets Only

COMMANDMENTS OF SAFE GUN HANDLING:

- Treat every firearm as if it were loaded.
- Always keep the muzzle pointed in a safe direction.
- Identify your target and what is beyond it.
- Ensure the firearm and ammunition are in good working condition and that only the correct ammunition is used.
- Store firearms and ammunition separately under lock and key, and use trigger locks.
- Always keep the action open except when actually hunting or preparing to shoot and always keep your finger off the trigger except when firing.
- Never point a firearm at anything you do not want to shoot. Avoid all horseplay with a firearm.
- Never climb a fence, tree, stand in or jump a ditch without unloading your firearm.
- Never shoot at a flat hard surface or water.
- Avoid alcohol and other drugs before or during hunting and shooting

DO-ALL TRAPS, LLC DBA DO-ALL OUTDOORS, LLC DOES NOT ACCEPT ANY RESPONSIBILITY FOR DAMAGES AND/OR INJURY SUSTAINED FROM THE USE OR MISUSE OF THIS PRODUCT.



BODY SHOT TARGET 9MM - 30.06


BS300 Body Shot Parts Included:

Main Base	1pcs
Tail Base	1pcs
Target	1pcs
Ground Spikes	3pcs
Springs	2pcs
Pin	1pcs
Support Brace	1pcs
Bolt & Lock Nut	2sets




Register your product, find Instructions, Video, FAQs &
Keep up with all of our new & exciting products by
visiting: www.doalldoors.com


Target Assembly:




1. Secure the tail base to the main base with two bolts and two lock nuts.




2. Insert two springs onto the ends of barrel on support brace, paying attention to the angle and position of the springs. Spring arms should rest on top of support brace "wings".



3. Resting spring arms on top of the back bar on base, align support brace barrel with holes on base and insert the L-shape pin.



4. Make sure the handle of L-shaped pin is pointing down so it can only be pulled out by hand.



5. Insert ground spikes through the two holes on the main base one hole on the rear of the tail base to secure target to ground for extra stability.



Eagle
IMPORTS INC.

BERSA

For target shooting or home defense, Do-All Outdoors, LLC. Recommends Bersa Guns. Visit our friends at www.beresa.com



Firearms | Holsters | Grips | Apparel | Accessories